CEDAR BREATHER
SYSTEM PROTECTION

Cedar Breather® | Rapid Ridge® | Batten UV

BENJAMIN OBDYKE
roof & wall products

CEDAR BREATHER SYSTEM

There's nothing quite like the aesthetic of an authentic, cedar roof. Building practice and the composition of cedar itself has changed dramatically since it was first installed on a roof. In spite of these changes, there remains an opportunity to install a beautiful cedar roof that will stand the test of time.

The wood roofing protection system marries two key products: Cedar Breather underlayment and Rapid Ridge 7. Together, these products provide a ventilated space behind the cedar shakes or shingles, allowing the cedar to dry and live its full, beautiful life.

35 YEAR SYSTEM WARRANTY

EASY TO INSTALL

VENTILATES ROOFING MATERIAL

Build Better

RAPID RIDGE

NAIL-GUNNABLE
RIDGE VENT

7

RRR7—20' x 7" x 5/8"

BENJAMIN OBDYKE
roof & wall products

CEDAR BREATHER®

Cedar Breather is the solution for preserving the beauty and life of wood roofing. Easier to install and providing more airflow than traditional wood strapping, Cedar Breather provides a continuous space for drainage and drying behind shingles or shakes.

Patented three-dimensional matrix allows continuous airflow and provides cushioning during severe hail

Quick and easy installation without any special tools

Protects the beauty and life of wood roofing by eliminating excess moisture, prevents thermal cupping, warping, and rotting.

Meets approved installation methods per the Cedar Shake & Shingle Bureau

Can also be used for metal roofing applications

WIDTH

3.25 ft (1 m)

LENGTH PER ROLL

61.5 ft (18.75 m)

COVERAGE

200 sq. ft

WEIGHT

9.7 lbs per roll

COMPRESSION & THICKNESS

Zero lbs per sq ft .27 in
100 lbs per sq ft .26 in
200 lbs per sq ft .25 in

BENJAMIN OBDYKE
roof & wall products

RAPID RIDGE® 7

Rapid Ridge® 7 is specifically designed for use with narrow hip and ridge shingles, cedar and slate. For optimum performance in wood roofing applications, use Rapid Ridge® 7 with Cedar Breather®.

WIDTH
7 in

LENGTH PER ROLL
20 ft

THICKNESS
5/8 in

NET FREE AREA
12.5 in²/lin ft

WARRANTY PROTECTION OPTIONS

35 years

RAINSCREEN SYSTEM
Slicker Rainscreen Family
FlatWrap® HP
HydroFlash®
Slicker® Screen (optional)
HydroCorner® Sill Treatment (optional)
Batten UV Starter Strip (optional)

CEDAR BREATHER SYSTEM
Cedar Breather® Ventilated Underlayment
Rapid Ridge® 7 Ridge Ventilation
Batten UV Perimeter Vent (optional)

25 years

UV-PROTECTED RAINSCREEN SYSTEM
InvisiWrap® UV
HydroFlash® UV+
Batten UV
Cap Fasteners
HydroCorner® Sill Treatment (optional)

20 years

DRAINABLE HOUSEWRAP SYSTEM
HydroGap® Drainable Housewrap
HydroFlash®
Cap Fasteners
HydroCorner® Sill Treatment (optional)

AIR BARRIER DRAINABLE HOUSEWRAP SYSTEM
HydroGap® SA
HydroFlash®
HydroCorner® Sill Treatment (optional)

15 years

HOUSEWRAP SYSTEM
FlatWrap® HP
HydroFlash®
Cap Fasteners
HydroCorner® Sill Treatment (optional)

Build Better

*with Benjamin Obdyke Roof & Wall products*

ROOF SYSTEMS

RIDGE VENTILATION PRODUCTS
roll vent®
rapid ridge®
cougar® lp
shark vent®
xtractor vent®

WOOD / METAL ROOF SYSTEM
cedar breather®
rapid ridge® 7
batten uv

WALL SYSTEMS

AIR BARRIER DRAINABLE HOUSEWRAP SYSTEM
hydrogap® sa
hydroflash® uv+
hydroflash® la

DRAINABLE HOUSEWRAP SYSTEM
hydrogap® drainable housewrap
hydroflash®

UV-PROTECTED RAINSCREEN SYSTEM
invisiwrap® uv
hydroflash® uv+
batten uv

HOUSEWRAP SYSTEM
flatwrap® hp
hydroflash®

RAINSCREEN SYSTEM
slicker® rainscreen
flatwrap® hp
hydroflash®
slicker® screen
batten uv

BENJAMIN OBDYKE
roof & wall products